

To analysis of coverage-preserving CH selection Algorithm (CPCHSA) to improve the system lifetime and latency in the wireless sensor network

Sourabh Pathak

Faculty Member, Department of ECE,
F.E.T, MJP Rohilkhand University, Bareilly U.P.

Abstract

Wireless sensor networks (WSNs) have a many applications in a various research areas. Now days Internet of Things is very important application in the world that is interconnected the various objects or devices through the internet. Limited battery power is major problem in wireless sensor network than the mobile ad-hoc network, to improve this problem there are many protocol or algorithms are developed due to which minimize the energy consumption in the network. Leach protocol and selection of cluster heads algorithm is very best. Using converge Preserving Cluster heads selection algorithm has very important role to improve the latency and system life time of the network.

Index terms: Latency, efficient energy,

Introduction

Anything that can be controlled and monitored by the internet is known as Internet of the Things. Wireless network is the most preferred medium to achieve the wide range of connectivity with the network. Wireless sensor networks (WSN) is the collection of many sensor nodes deployed over a large area in the network to sense and collect the different types of data from the nodes or environment and used in different areas as animal tracking, weather monitoring disaster management, bio-medical applications and also in the field of Internet of Things IoT [1, 2]. Coverage-preserving CH selection Algorithm (CPCHSA) has the very important role in the wireless sensor network. This algorithm is improved the latency and system lifetime of the network. Number of packets are transmitted and received in systematic manner due to which power limitation is also improved in the system.

The Micro-Electro-Mechanical System sensor technology is used for the developing the smart sensors for the Internet of things.

This algorithm improves the following thing in the network:

System Lifetime: Number of packets are transmitted and received in the network very systematic manner due to this improved the quality of the network.

Latency: Latency is based on the packets means how to packets are received at the receiver. Using this algorithm the numbers of packets are received in systematic manner because this algorithm coverage the cluster head mechanism.

Result

There are following results found when we apply this algorithm, here we see that how improved the system life-time and latency in the network. Due to which the problem of power limitation is also resolved. To analysis this algorithm we have used the MATLAB software.




Fig. 1 No of nodes in specified area




Fig. 2 Alive nodes per round in the network




Fig. 3 Network Energy per round in the network




Fig. 4 No of Cluster Heads in the network




Fig. 5 No of Cluster Heads in the network




Fig. 6 Packets send to Base station in the network




Fig. 7 No of packets send to Cluster Head in the network

Conclusion

The wireless sensor network has the very important role in the world in which their protocol as LEACH protocol and their algorithm as Preserve CH selection algorithms prove an importance itself. In this paper we have studied Cluster Head selection algorithm to improve the system life-time of the network. This algorithm is also useful to improve the latency and reduced the energy consumption in distributed manner. In the future we can extend this research for the heterogeneous routing protocol.

References

- [1] Yick, J., Mukherjee, B., Ghosal, D.: ‘Wireless sensor network survey’, *Comput. Netw.*, 2008, **52**, (12), pp. 2292–2330
- [2] Kim, D.S., Chung, Y.J.: ‘Self-organization routing protocol supporting mobile nodes for wireless sensor network’. First Int. Multi-Symp. on Computer and Computational Sciences, IMSCCS ‘06, Hanzhou, Zhejiang, China, 2006, vol. **2**, pp. 622–626
- [3] Akyildiz, I.F., Su, W., Sankarasubramaniam, Y., *et al.*: ‘Wireless sensor networks: a survey’, *Comput. Netw.*, 2002, **38**, (4), pp. 393–422
- [4] Kumar, V., Jain, S., Tiwari, S., *et al.*: ‘Energy efficient clustering algorithms in wireless sensor networks: a survey’, *Int. J. Comput. Sci. Issues*, 2011, **8**, (5), pp. 814–1694
- [5] Zorzi, M., Gluhak, A., Lange, S., *et al.*: ‘From today's intranet of things to a future internet of things: a wireless-and mobility-related view’, *IEEE Wirel. Commun.*, 2010, **17**, (6), pp. 44–51
- [6] Gubbi, J., Buyya, R., Marusic, S., *et al.*: ‘Internet of things (IoT): a vision, architectural elements, and future directions’, *Future Gener. Comput. Syst.*, 2013, **29**, (7), pp. 1645–1660
- [7] Padmavathi, D.G., Shanmugapriya, M., *et al.*: ‘A survey of attacks, security mechanisms and challenges in wireless sensor networks’, arXiv preprint arXiv:09090576, 2009
- [8] Singh, S.K., Kumar, P., Singh, J.P.: ‘A survey on successors of LEACH protocol’, *IEEE Access*, 2017, **5**, pp. 4298–4328
- [9] Heinzelman, W.R., Chandrakasan, A., Balakrishnan, H.: ‘Energy-efficient communication protocol for wireless microsensor networks’. Proc. of the 33rd Annual Hawaii Int. Conf. on System Sciences, Maui, HI, USA, 2000, vol. **2**, p. 10
- [10] Mahapatra, R.P., Yadav, R.K.: ‘Descendant of LEACH based routing protocols in wireless sensor networks’, *Procedia Comput. Sci.*, 2015, **57**, pp. 1005–1014
- [11] Heinzelman, W.B., Chandrakasan, A.P., Balakrishnan, H.: ‘An applicationspecific protocol architecture for wireless microsensor networks’, *IEEE Trans. Wirel. Commun.*, 2002, **1**, (4), pp. 660–670
- [12] Muruganathan, S.D., Ma, D.C.F., Bhasin, R.I., *et al.*: ‘A centralized energyefficient routing protocol for wireless sensor networks’, *IEEE Commun. Mag.*, 2005, **43**, (3), pp. S8–13

- [13] Yadav, L., Sunitha, C.: ‘Low energy adaptive clustering hierarchy in wireless sensor network (LEACH)’, *Int. J. Comput. Sci. Inf. Technol.*, 2014, **5**, (3), pp. 4661–4664
- [14] Wu, W., Xiong, N., Wu, C.: ‘Improved clustering algorithm based on energy consumption in wireless sensor networks’, *IET Netw.*, 2017, **6**, (3), pp. 47–53
- [15] Tsai, Y.R.: ‘Coverage-preserving routing protocols for randomly distributed wireless sensor networks’, *IEEE Trans. Wirel. Commun.*, 2007, **6**, (4), pp. 1240–1245
- [16] Wang, W., Wang, Q., Luo, W., *et al.*: ‘Leach-h: an improved routing protocol for collaborative sensing networks’. Int. Conf. on Wireless Communications & Signal Processing, WCSP, Nanjing, China, 2009, pp. 1–5
- [17] Thein, M.C.M., Thein, T.: ‘An energy efficient cluster-head selection for wireless sensor networks’. 2010 Int. Conf. on Intelligent Systems, Modelling and Simulation (ISMS), Liverpool, UK, 2010, pp. 287–291
- [18] Sasikala, A.S.D., Sangameswaran, N., Aravindh, P., *et al.*: ‘Improving the energy efficiency of LEACH protocol using VCH in wireless sensor network’, *Int. J. Eng. Dev. Res.*, 2015, **3**, (2), pp. 918–924
- [19] Ahlawat, A., Malik, V.: ‘An extended vice-cluster selection approach to improve v leach protocol in WSN’. 2013 Third Int. Conf. on Advanced Computing and Communication Technologies (ACCT), Rohtak, India, 2013, pp. 236–240
- [20] Sindhvani, N., Vaid, R.: ‘V LEACH: an energy efficient communication protocol for WSN’, *Mechanica Confab*, 2013, **2**, (2), pp. 79–84
- [21] Oliveira, L.B., Wong, H.C., Bern, M., *et al.*: ‘SecLEACH – a random key distribution solution for securing clustered sensor networks’. Fifth IEEE Int. Symp. on Network Computing and Applications, 2006, NCA 2006, Cambridge, MA, USA, 2006, pp. 145–154
- [22] Gnanambigai, J., Rengarajan, N., Anbukkarasi, K.: ‘Q-LEACH: an energy efficient cluster based routing protocol for wireless sensor networks’. 2013 7th Int. Conf. on Intelligent Systems and Control (ISCO), Coimbatore, India, 2013, pp. 359–362
- [23] Kandpal, R., Singh, R.: ‘Improving lifetime of wireless sensor networks by mitigating correlated data using LEACH protocol’. 2016 1st India Int. Conf. on Information Processing (IICIP), Delhi, India, 2016, pp. 1–6

- [24] Handy, M., Haase, M., Timmermann, D.: ‘Low energy adaptive clustering hierarchy with deterministic cluster-head selection’. 4th Int. Workshop on Mobile and Wireless Communications Network, Stockholm, Sweden, 2002, pp. 368–372
- [25] Tong, M., Tang, M.: ‘LEACH-b: an improved leach protocol for wireless sensor network’. 2010 6th Int. Conf. on Wireless Communications Networking and Mobile Computing (WiCOM), Chengdu, China, 2010, pp. 1–4
- [26] Siavoshi, S., Kavian, Y.S., Sharif, H.: ‘Load-balanced energy efficient clustering protocol for wireless sensor networks’, *IET Wirel. Sens Syst.*, 2016, **6**, (3), pp. 67–73
- [27] Yassein, M.B., Khamayseh, Y., Mardini, W., *et al.*: ‘Improvement on leach protocol of wireless sensor network VLEACH’, *Int. J. Digit. Content Technol. Appl.*, 2009, **3**, (2), pp. 132–136
- [28] Ye, M., Li, C., Chen, G., *et al.*: ‘Eecs: an energy efficient clustering scheme in wireless sensor networks’. 24th IEEE Int. Performance, Computing, and Communications Conf. (IPCCC), Phoenix, AZ, USA, 2005, pp. 535–540
- [29] Mahmood, D., Javaid, N., Mahmood, S., *et al.*: ‘ModLEACH: a variant of leach for WSNs’. 2013 Eighth Int. Conf. on Broadband and Wireless Computing, Communication and Applications, Compiegne, France, 2013, pp. 158–163
- [30] Abidoeye, A.P., Obagbuwa, I.C.: ‘Models for integrating wireless sensor networks into the Internet of things’, *IET Wirel. Sens. Syst.*, 2017, **7**, (3), pp. 65–72
- [31] Rasheed, M.B., Javaid, N., Khan, Z.A., *et al.*: ‘E-HORM: An energy-efficient hole removing mechanism in wireless sensor networks’. 2013 26th Annual IEEE Canadian Conf. on Electrical and Computer Engineering (CCECE), Regina, SK, Canada, 2013, pp. 1–4
- [32] Li, J., Mohapatra, P.: ‘An analytical model for the energy hole problem in many-to-one sensor networks’. IEEE Vehicular Technology Conf., Dallas, TX, USA, 1999, 2005, vol. 62, p. 2721
- [33] Elbhiri, B., Saadane, R., Aboutajdine, D., *et al.*: ‘Developed distributed energy-efficient clustering (DDEEC) for heterogeneous wireless sensor networks’. 2010 5th Int. Symp. on I/V Communications and Mobile Network (ISVC), Rabat, Morocco, 2010, pp. 1–4

- [34] Perera, C., Zaslavsky, A., Christen, P., *et al.*: ‘Sensing as a service model for smart cities supported by internet of things’, *Trans. Emerg. Telecommun. Technol.*, 2014, **25**, (1), pp. 81–93
- [35] Abbasi, A.A., Younis, M.: ‘A survey on clustering algorithms for wireless sensor networks’, *Comput. Commun.*, 2007, **30**, (14), pp. 2826–2841